

silent.ellipse

Produktbeschreibung

„silent.ellipse“ zeichnet sich durch ein geringes Gewicht bei gleichzeitig exzellenter Absorption aus.

Es kann als Akustikbild oder als Deckensegel eingesetzt werden. Die organische Form passt in jedes Büro und lockert die oft nüchterne Atmosphäre auf. Zusätzlich wird die Nachhallzeit gesenkt.


Das verwendete Akustikvlies ist recycelbar und erfüllt die

Brandnormen DIN 4102 (B1) und die ISO 13501 (B s1 d0).

Wir bieten „silent.ellipse“ in zwei akustischen Qualitäten an: Wählen Sie entsprechend Ihren Anforderungen zwischen einer **Basic** und einer **High Class** Version.

Der Rahmen besteht aus einem sehr leichten aber verwindungssteifen silberfarbigen Aluprofil.

Andere Farben auf Anfrage.



Deckensegel

Technische Daten

Ausführung: Deckensegel oder als Akustikbild

Form: Ellipse

Fixierpunkte: Akustikbild: 2 / Deckensegel: 4/6

Maße:

Länge:	1480 mm	2190 mm	2900 mm
Breite:	740 mm	1095 mm	1450 mm
Fläche:	0,86 m ²	1,88 m ²	3,3 m ²
Gewicht:	3,25 Kg	5,60 Kg	9,00 Kg

Farben:



Nr: 0378


Nr: 26661

Nr: 26631


bedruckt

Weitere Farben auf Anfrage.

Akustikbild



Deckensegel



MDT A/S

Phone +45 7555 9797

Fax +45 7555 9494

info@flexible-products.dk

www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0

Fax +49 2162 95 83-49

info@silentofficewall.de

www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010

Fax +49 40 35739012

a.meyer-stormer@ohf24.de

www.ohf24.de

silent.ellipse

Product Description

The panel „silent.ellipse“ is characterized by a low weight and at the same time an excellent absorption.


It can be used as ceiling-panel or acoustic-picture. The organic shape fits in any office environment and opens new possibilities for the office-design. Furthermore the reverberation time is reduced considerably.

The acoustic fleece can be recycled and fulfils the

flammability acc. to DIN 4102 (B1) and ISO 13501 (B s1 d0).

We offer silent.ellipse in two acoustic qualities: Depending on your requirements you can choose between a **basic** and a **high-class** version.

The frame is made from light-weight aluminum and is very warp-resistant. Other colours for the frame are available on request.



Ceiling-Panel

Technical Data

Application: Ceiling-Panel or Acoustic-Picture
 Shape: Ellipse
 Fixingpoints: Acoustic-Picture: 2 / Ceiling-Panel: 4/6

Dimensions:


Length:	1480 mm	2190 mm	2900 mm
Width:	740 mm	1095 mm	1450 mm
Surface:	0,86 m ²	1,88 m ²	3,3 m ²
Weight:	3,25 Kg	5,60 Kg	9,00 Kg

Colours:




Nr: 0378 Nr: 26661 Nr: 26631 printed
 Other colours on request.

Acoustic-Picture



Ceiling-Panel



MDT A/S

Phone +45 7555 9797
 Fax +45 7555 9494
 info@flexible-products.dk
 www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0
 Fax +49 2162 95 83-49
 info@silentofficewall.de
 www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010
 Fax +49 40 35739012
 a.meyer-stormer@ohf24.de
 www.ohf24.de

silent.circle

Produktbeschreibung

„silent.circle“ zeichnet sich durch ein geringes Gewicht bei gleichzeitig exzellenter Absorption aus.

Es kann als Akustikbild oder als Deckensegel eingesetzt werden. Die organische Form passt in jedes Büro und lockert die oft nüchterne Atmosphäre auf. Zusätzlich wird die Nachhallzeit gesenkt.

Das verwendete Akustikvlies ist recycelbar und erfüllt die

Brandnormen DIN 4102 (B1) und die ISO 13501 (B s1 d0).

Wir bieten „silent.circle“ in zwei akustischen Qualitäten an: Wählen Sie entsprechend Ihren Anforderungen zwischen einer **Basic** und einer **High Class** Version.

Der Rahmen besteht aus einem sehr leichten aber verwindungssteifen silberfarbigen Aluprofil.

Andere Farben auf Anfrage.



Akustikbild

Technische Daten

Ausführung: Deckensegel oder als Akustikbild

Form: Kreis

Fixierpunkte: Akustikbild: 2 / Deckensegel: 3

Maße:

Durchmesser:	700 mm	1000 mm	1300 mm	1500 mm
Fläche:	0,4 m ²	0,8 m ²	1,3 m ²	1,8 m ²
Gewicht:	1,5 Kg	2,4 Kg	3,4 Kg	4,1 Kg

Farben:



Nr: 0378


Nr: 26661

Nr: 26631


bedruckt

Weitere Farben auf Anfrage.

Akustikbild



Deckensegel



MDT A/S

Phone +45 7555 9797

Fax +45 7555 9494

info@flexible-products.dk

www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0

Fax +49 2162 95 83-49

info@silentofficewall.de

www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010

Fax +49 40 35739012

a.meyer-stormer@ohf24.de

www.ohf24.de

silent.circle

Product Description

The panel „silent.circle“ is characterized by a low weight and at the same time an excellent absorption.

It can be used as ceiling-panel or acoustic-picture. The organic shape fits in any office environment and opens new possibilities for the office-design. Furthermore the reverberation time is reduced considerably.

The acoustic fleece can be recycled and fulfils the

flammability acc. to DIN 4102 (B1) and ISO 13501 (B s1 d0).

We offer silent.circle in two acoustic qualities:

Depending on your requirements you can choose between a **basic** and a **high-class** version.

The frame is made from light-weight aluminum and is very warp-resistant. Other colours for the frame are available on request.



Acoustic-Picture

Technical Data

Application: Ceiling-Panel or Acoustic-Picture
 Shape: Circle
 Fixingpoints: Acoustic-Picture: 2 / Ceiling-Panel: 3

Dimensions:


Diameter:	700 mm	1000 mm	1300 mm	1500 mm
Surface:	0,4 m ²	0,8 m ²	1,3 m ²	1,8 m ²
Weight:	1,5 Kg	2,4 Kg	3,4 Kg	4,1 Kg

Colours:




Nr: 0378 Nr: 26661 Nr: 26631 printed
 Other colours on request.

Acoustic-Picture



Ceiling-Panel



MDT A/S

Phone +45 7555 9797
 Fax +45 7555 9494
 info@flexible-products.dk
 www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0
 Fax +49 2162 95 83-49
 info@silentofficewall.de
 www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010
 Fax +49 40 35739012
 a.meyer-stormer@ohf24.de
 www.ohf24.de

silent.clove

Produktbeschreibung

„silent.clove“ zeichnet sich durch ein geringes Gewicht bei gleichzeitig exzellenter Absorption aus.

Es kann als Akustikbild oder als Deckensegel eingesetzt werden. Die organische Form passt in jedes Büro und lockert die oft nüchterne Atmosphäre auf. Zusätzlich wird die Nachhallzeit gesenkt.

Das verwendete Akustikvlies ist recycelbar und erfüllt die

Brandnormen DIN 4102 (B1) und die ISO 13501 (B s1 d0).

Wir bieten „silent.clove“ in zwei akustischen Qualitäten an: Wählen Sie entsprechend Ihren Anforderungen zwischen einer **Basic** und einer **High Class** Version.

Der Rahmen besteht aus einem sehr leichten aber verwindungssteifen silberfarbigen Aluprofil.

Andere Farben auf Anfrage.



Deckensegel

Technische Daten

Ausführung: Deckensegel oder als Akustikbild

Form: Stern

Fixierpunkte: Akustikbild: 2 / Deckensegel: 3

Maße:

Länge: 1250 mm

Breite: 1370 mm

Fläche: 0,94 m²

Gewicht: 4,1 Kg

Farben:



Nr: 0378



Nr: 26661




Nr: 26631




bedruckt

Weitere Farben auf Anfrage.

Akustikbild



Deckensegel



MDT A/S

Phone +45 7555 9797

Fax +45 7555 9494

info@flexible-products.dk

www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0

Fax +49 2162 95 83-49

info@silentofficewall.de

www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010

Fax +49 40 35739012

a.meyer-stormer@ohf24.de

www.ohf24.de

silent.clove

Product Description

The panel „silent.clove“ is characterized by a low weight and at the same time an excellent absorption.

It can be used as ceiling-panel or acoustic-picture. The organic shape fits in any office environment and opens new possibilities for the office-design. Furthermore the reverberation time is reduced considerably.

The acoustic fleece can be recycled and fulfils the

flammability acc. to DIN 4102 (B1) and ISO 13501 (B s1 d0).

We offer silent.clove in two acoustic qualities:

Depending on your requirements you can choose between a **basic** and a **high-class** version.

The frame is made from light-weight aluminum and is very warp-resistant. Other colours for the frame are available on request.



Ceiling-Panel


Technical Data

Application: Ceiling-Panel or Acoustic-Picture
 Shape: Star
 Fixingpoints: Acoustic-Picture: 2 / Ceiling-Panel: 3


Dimensions:

Length: 1250 mm
 Width: 1370 mm
 Surface: 0,94 m²
 Weight: 4,1 Kg


Colours:



Acoustic-Picture



Ceiling-Panel



MDT A/S

Phone +45 7555 9797
 Fax +45 7555 9494
 info@flexible-products.dk
 www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0
 Fax +49 2162 95 83-49
 info@silentofficewall.de
 www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010
 Fax +49 40 35739012
 a.meyer-stormer@ohf24.de
 www.ohf24.de

silent.leaf

Produktbeschreibung

„silent.leaf“ zeichnet sich durch ein geringes Gewicht bei gleichzeitig exzellenter Absorption aus.

Es kann als Akustikbild oder als Deckensegel eingesetzt werden. Die organische Form passt in jedes Büro und lockert die oft nüchterne Atmosphäre auf. Zusätzlich wird die Nachhallzeit gesenkt.

Das verwendete Akustikvlies ist recycelbar und erfüllt die

Brandnormen DIN 4102 (B1) und die ISO 13501 (B s1 d0).

Wir bieten „silent.leaf“ in zwei akustischen Qualitäten an: Wählen Sie entsprechend Ihren Anforderungen zwischen einer **Basic** und einer **High Class** Version.

Der Rahmen besteht aus einem sehr leichten aber verwindungssteifen silberfarbigen Aluprofil.

Andere Farben auf Anfrage.



Akustikbild

Technische Daten

Ausführung: Deckensegel oder als Akustikbild

Form: Blatt

Fixierpunkte: Akustikbild: 2 / Deckensegel: 3

Maße:

Länge: 760 mm

Breite: 1480 mm

Fläche: ca. 1 m²

Gewicht: 3,1 Kg

Farben:



Nr: 0378



Nr: 26661




Nr: 26631




bedruckt

Weitere Farben auf Anfrage.

Akustikbild



Deckensegel



MDT A/S

Phone +45 7555 9797

Fax +45 7555 9494

info@flexible-products.dk

www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0

Fax +49 2162 95 83-49

info@silentofficewall.de

www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010

Fax +49 40 35739012

a.meyer-stormer@ohf24.de

www.ohf24.de

silent.leaf

Product Description

The panel „silent.leaf“ is characterized by a low weight and at the same time an excellent absorption.

It can be used as ceiling-panel or acoustic-picture. The organic shape fits in any office environment and opens new possibilities for the office-design. Furthermore the reverberation time is reduced considerably.

The acoustic fleece can be recycled and fulfils the

flammability acc. to DIN 4102 (B1) and ISO 13501 (B s1 d0).

We offer silent.leaf in two acoustic qualities:

Depending on your requirements you can choose between a **basic** and a **high-class** version.

The frame is made from light-weight aluminum and is very warp-resistant. Other colours for the frame are available on request.



Acoustic-Picture


Technical Data

Application: Ceiling-Panel or Acoustic-Picture
 Shape: Leaf
 Fixingpoints: Acoustic-Picture: 2 / Ceiling-Panel: 3


Dimensions:

Length: 760 mm
 Width: 1480 mm
 Surface: app. 1 m²
 Weight: 3,1 Kg


Colours:



Acoustic-Picture



Ceiling-Panel



MDT A/S

Phone +45 7555 9797
 Fax +45 7555 9494
 info@flexible-products.dk
 www.flexible-products.dk

Recytex GmbH & Co. KG

Phone +49 2162 95 83-0
 Fax +49 2162 95 83-49
 info@silentofficewall.de
 www.silentofficewall.de

AMS Handelsagentur e.K.

Phone +49 40 35739010
 Fax +49 40 35739012
 a.meyer-stormer@ohf24.de
 www.ohf24.de